

## Optical Media and Documents High Security Shredder

# KOBRA 400 HS COMBI

Throat width:

**Paper 240 mm**  
**Optical Media 130 mm**

Shred size:

**Paper 0,8 x 9,5 mm**  
**Optical Media 1,5 x 2 mm\***  
 \*CPNI approved models 2 x 2 mm

Security levels ISO/IEC 21964 (DIN 66399):

**Paper P-6**  
**Optical Media O-6 T-6 E-5 F-3**

Shreddable materials:

**Paper, CDs/DVDs/Blu-ray, floppy-disks, credit cards, films**

Shred capacity\*\*:

**Paper 17-19 sheets (A4 70 gr)**  
**Paper 13-15 sheets (A4 80 gr)**  
**Optical Media 2.100/hour**

Speed:

**0,12 m/sec**

Waste bag capacity:

**110 litre plastic bag for paper shreds**  
**80 litre fabric bag for plastic shreds**

Noise level:

**58-61 dba**

Voltage:

**230 V**

Power:

**2100 Watt**

Dimensions (WxDxH):

**60 x 48 x 93 cm**

Weight:

**112 Kg**

PACKAGING : 1 UNIT PER BOX

\*\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication



Approved for UK Government use, for details contact CPNI

### MAIN FEATURES

Suitable for combined **high security shredding operations of Optical Media** (CDs, DVDs including 80 mm mini disks, Blu-Ray and credit cards) and **"Top Secret" documents**. KOBRA 400 HS COMBI can shred up to 2.100 optical media per hour through the **special 1,5x2 mm cutting system**, which is the highest security level today available for optical media to meet the strictest Military and Governments shredding needs. Shreds an optical media disk into over 3000 microchips exceeding the Optical Media Destruction Devices guidelines and the ASIO T-4 standards for TOP SECRET level destruction of Optical Media. The tiny size of the shreds doesn't allow retrieving or reading any information left on small optical media particles even through specific and dedicated electronic equipments. KOBRA 400 HS COMBI is also equipped with a **second cutting system with the 0,8x9,5 mm cut** (Level 5) providing high security shredding of "Top Secret" documents.

- **TWO SEPARATE SETS OF CUTTING BLADES:** a special 1,5x2 mm cutting system for Optical Media and a 2<sup>nd</sup> cutting system with a 0,8x9,5 mm cut for "Top Secret" documents
- **AUTOMATIC OILER:** special integrated automatic oiling system. Automatically lubricates the high security cutting knives during the operation of the shredder for continuous maximum shredding capacity
- **24 HOUR CONTINUOUS DUTY MOTOR:** no overheatings, no duty cycles. Motor thermal protection.
- **ENERGY SMART** Management System for power saving stand-by mode
- **SUPER POTENTIAL POWER UNIT:** heavy duty chain drive with steel gears
- **AUTOMATIC REVERSE SYSTEM** in case of jamming
- **AUTOMATIC START/STOP** through electronic eyes • **AUTOMATIC STOP** when bag is full and electronic door safety switch
- **TWO WASTE BAGS:** 110 liter recyclable plastic bag for paper shreds + 80 liter strong reusable fabric bag for optical media shreds
- **STEEL CABINET** mounted on casters

Can be equipped with the special accessory **KOBRA SHRED GUARD METAL DETECTOR SYSTEM:** stops the machine when large metal objects, which could cause a damage to the cutting knives, are accidentally inserted into the shredder; a blue flashing light warns the operator to remove these objects in order to protect the knives.



**TWO SEPARATED ENTRY OPENINGS** for a combined high security shredding of optical media and paper  
**TWO SEPARATED SETS OF CUTTING BLADES:** one set dedicated to shred paper and the 2<sup>nd</sup> set for CDs/DVDs/ credit card shredding



**AUTOMATIC OILER:** special automatic integrated oiling system. Automatically lubricates cutting knives during the shredding operation



**KOBRA SHRED GUARD - METAL DETECTION SYSTEM (OPTIONAL):** provide additional protection against any type of metal of large size which could damage the cutting knives, if introduced into the shredder

### CONSUMABLE MATERIAL:

- Kobra Oil for Automatic Oiler (24 bottles of 1 liter each, art. code 51.086)
- Plastic waste bags for paper shreds (100 pcs, art. code 99.206)
- Fabric waste bags for optical media shreds (suitable for 400 COMBI HS and 400 COMBI HS-6, art. code 51.072)